

JUL 05 2006

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016**AMENDMENT AND PRESENTATION OF CLAIMS**

Please replace all prior claims in the present application with the following claims, in which claims 4, 13, 17 and 27 are canceled without prejudice or disclaimer, and claims 1, 5, 6, 11, 14, 18, 24 and 28 are amended.

1. (Currently Amended) A method of encoding, comprising:

accessing memory storing information representing a structured parity check matrix of Low Density Parity Check (LDPC) codes, the information being organized in tabular form, wherein each row represents occurrences of one values within a first column of a group of columns of the parity check matrix, the rows correspond to groups of columns of the parity check matrix, wherein subsequent columns within each of the groups are derived according to a predetermined operation; and
outputting an LDPC coded signal based on the stored information representing the parity check matrix,

wherein the first information bit in the i^{th} group of M information bits is accumulated in the i^{th} parity bit accumulator if the i^{th} entry in $(M)^{\text{th}}$ column of the parity check matrix is 1, where $i=0,1,2,3,\dots,k_{\text{ldpc}}/M-1$,

wherein the remaining $(M-1)$ information bits $m=M+1, M+2, M+3,\dots,(i+1)M-1$ of the i^{th} group is accumulated in the parity bit accumulators according to $\{x + m \bmod M \times q\} \bmod (n_{\text{ldpc}} - k_{\text{ldpc}})$, wherein x denotes the address of the parity bit accumulator corresponding to the first bit, M , in the group, and q is a code rate dependent constant,

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

wherein after all of the information bits are exhausted, operations, starting with $i = 1$ are performed according to $p_i = p_i \oplus p_{i-1}$, $i = 1, 2, \dots, n_{ldpc} - k_{ldpc} - 1$, wherein final content of p_i , $i = 0, 1, \dots, n_{ldpc} - k_{ldpc} - 1$ is equal to the parity bit p_i .

2. (Original) A method according to claim 1, wherein the predetermined operation specifies one of the steps of:

performing a cyclic shift on the first column of each of the group; and

adding a constant to the first column of each of the group, the constant being dependent on code rate of the LDPC code.

3. (Original) A method according to claim 1, wherein the parity bits are determined sequentially, the method further comprising:

determining an i^{th} parity bit by adding the $(i-1)^{\text{th}}$ parity bit and the i^{th} information bit if the i^{th} entry in the i^{th} row of the parity check matrix is 1.

4. (Canceled)

5. (Currently Amended) A method according to claim [[4]] 1, wherein $M=360$.

6. (Currently Amended) A method according to claim [[4]] 1, wherein the code dependent constant q is 60, 30, 90, 45, 36, 72, 20, and 18 for code rates $2/3$, $5/6$, $1/2$, $3/4$, $4/5$, $3/5$, $8/9$, and $9/10$, respectively.

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

7. (Original) A method according to claim 1, further comprising:
modulating the LDPC coded signal according to a signal constellation that includes one of
8-PSK (Phase Shift Keying), 16-QAM (Quadrature Amplitude Modulation), QPSK
(Quadrature Phase Shift Keying), 16-APSK (Amplitude Phase Shift Keying) and 32-
APSK.
8. (Original) A method according to claim 1, further comprising:
encoding an input signal according to Bose Chaudhuri Hocquenghem (BCH) codes,
wherein the output LDPC coded signal corresponding to the input signal represents a
code having an outer BCH code and an inner LDPC code.
9. (Original) A method according to claim 8, wherein the number of redundant BCH bits is
 $n_{\text{BCH}} - k_{\text{BCH}} = 16 \cdot t$, wherein t represents error correcting capability of the BCH code.
10. (Original) A method according to claim 8, wherein the error correction capability of the
BCH code is 12 bits when used in concatenation with rate 1/2, 3/4, 4/5 and 5/6 LDPC codes, is
10 bits when used in concatenation with rate 2/3 and 5/6 LDPC codes, and is 8 bits when used
in concatenation with rate 8/9 and 9/10 LDPC codes.
11. (Currently Amended) A method according to claim 1, of encoding, comprising:
accessing memory storing information representing a structured parity check matrix of Low
Density Parity Check (LDPC) codes, the information being organized in tabular form,
wherein each row represents occurrences of one values within a first column of a group
of columns of the parity check matrix, the rows correspond to groups of columns of the
parity check matrix, wherein subsequent columns within each of the groups are derived
according to a predetermined operation; and

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

outputting an LDPC coded signal based on the stored information representing the parity
check matrix,

wherein the row indices of 1's in the column index j^{th} 360 ($j=0,1,2,3, \dots, \frac{k_{ldpc}}{360}-1$) of the
parity check matrix are given at the j^{th} row according to one of Tables 1-8:

Address of Parity Bit Accumulators (Rate 2/3)												
0	10491	16043	506	12826	8065	8226	2767	240	18673	9279	10579	20928
1	17819	8313	6433	6224	5120	5824	12812	17187	9940	13447	13825	18483
2	17957	6024	8681	18628	12794	5915	14576	10970	12064	20437	4455	7151
3	19777	6183	9972	14536	8182	17749	11341	5556	4379	17434	15477	18532
4	4851	19689	1608	659	16707	14335	6143	3058	14618	17894	20684	5306
5	9778	2552	12096	12369	15198	16890	4851	3109	1700	18725	1997	15882
6	486	6111	13743	11537	5591	7433	15227	14145	1483	3887	17431	12430
7	20647	14311	11734	4180	8110	5525	12141	15761	18661	18441	10569	8192
8	3791	14759	15264	19918	10132	9062	10010	12786	10675	9682	19246	5454
9	19525	9485	7777	19999	8378	9209	3163	20232	6690	16518	716	7353
10	4588	6709	20202	10905	915	4317	11073	13576	16433	368	3508	21171
11	14072	4033	19959	12608	631	19494	14160	8249	10223	21504	12395	4322
12	13800	14161										
13	2948	9647										
14	14693	16027										
15	20506	11082										
16	1143	9020										
17	13501	4014										
18	1548	2190										
19	12216	21556										
20	2095	19897										
21	4189	7958										
22	15940	10048										
23	515	12614										
24	8501	8450										
25	17595	16784										
26	5913	8495										
27	16394	10423										
28	7409	6981										
29	6678	15939										
30	20344	12987										
31	2510	14588										
32	17918	6655										
33	6703	19451										
34	496	4217										
35	7290	5768										
36	10521	8925										
37	20379	11905										

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

38 4090 5838
39 19082 17040
40 20233 12352
41 19365 19546
42 6249 19030
43 11037 19193
44 19760 11772
45 19644 7428
46 16076 3521
47 11779 21062
48 13062 9682
49 8934 5217
50 11087 3319
51 18892 4356
52 7894 3898
53 5963 4360
54 7346 11726
55 5182 5809
56 2412 17295
57 9845 20494
58 6687 1864
59 20564 5216
0 18226 17207
1 9380 8266
2 7073 3065
3 18252 13437
4 9161 15642
5 10714 10153
6 11585 9078
7 5359 9418
8 9024 9515
9 1206 16354
10 14994 1102
11 9375 20796
12 15964 6027
13 14789 6452
14 8002 18591
15 14742 14089
16 253 3045
17 1274 19286
18 14777 2044
19 13920 9900
20 452 7374
21 18206 9921
22 6131 5414
23 10077 9726
24 12045 5479
25 4322 7990
26 15616 5550
27 15561 10661
28 20718 7387

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

29 2518 18804
30 8984 2600
31 6516 17909
32 11148 98
33 20559 3704
34 7510 1569
35 16000 11692
36 9147 10303
37 16650 191
38 15577 18685
39 17167 20917
40 4256 3391
41 20092 17219
42 9218 5056
43 18429 8472
44 12093 20753
45 16345 12748
46 16023 11095
47 5048 17595
48 18995 4817
49 16483 3536
50 1439 16148
51 3661 3039
52 19010 18121
53 8968 11793
54 13427 18003
55 5303 3083
56 531 16668
57 4771 6722
58 5695 7960
59 3589 14630

Table 1

Address of Parity Bit Accumulators (Rate 5/6)

0 4362 416 8909 4156 3216 3112 2560 2912 6405 8593 4969 6723
1 2479 1786 8978 3011 4339 9313 6397 2957 7288 5484 6031 10217
2 10175 9009 9889 3091 4985 7267 4092 8874 5671 2777 2189 8716
3 9052 4795 3924 3370 10058 1128 9996 10165 9360 4297 434 5138
4 2379 7834 4835 2327 9843 804 329 8353 7167 3070 1528 7311
5 3435 7871 348 3693 1876 6585 10340 7144 5870 2084 4052 2780
6 3917 3111 3476 1304 10331 5939 5199 1611 1991 699 8316 9960
7 6883 3237 1717 10752 7891 9764 4745 3888 10009 4176 4614 1567
8 10587 2195 1689 2968 5420 2580 2883 6496 111 6023 1024 4449
9 3786 8593 2074 3321 5057 1450 3840 5444 6572 3094 9892 1512
10 8548 1848 10372 4585 7313 6536 6379 1766 9462 2456 5606 9975
11 8204 10593 7935 3636 3882 394 5968 8561 2395 7289 9267 9978
12 7795 74 1633 9542 6867 7352 6417 7568 10623 725 2531 9115

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

13 7151 2482 4260 5003 10105 7419 9203 6691 8798 2092 8263 3755
14 3600 570 4527 200 9718 6771 1995 8902 5446 768 1103 6520
15 6304 7621
16 6498 9209
17 7293 6786
18 5950 1708
19 8521 1793
20 6174 7854
21 9773 1190
22 9517 10268
23 2181 9349
24 1949 5560
25 1556 555
26 8600 3827
27 5072 1057
28 7928 3542
29 3226 3762
0 7045 2420
1 9645 2641
2 2774 2452
3 5331 2031
4 9400 7503
5 1850 2338
6 10456 9774
7 1692 9276
8 10037 4038
9 3964 338
10 2640 5087
11 858 3473
12 5582 5683
13 9523 916
14 4107 1559
15 4506 3491
16 8191 4182
17 10192 6157
18 5668 3305
19 3449 1540
20 4766 2697
21 4089 6675
22 1117 1016
23 5619 3085
24 8483 8400
25 8255 394
26 6338 5042
27 6174 5119
28 7203 1989
29 1781 5174
0 1464 3559
1 3976 4214
2 7238 67
3 10595 8831

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

4 1221 6513
5 5300 4652
6 1429 9749
7 7878 5131
8 4435 10284
9 6331 5507
10 6662 4941
11 9614 10238
12 8400 8025
13 9156 5630
14 7067 8878
15 9027 3415
16 1690 3866
17 2854 8469
18 6206 630
19 363 5453
20 4125 7008
21 1612 6702
22 9069 9226
23 5767 4060
24 3743 9237
25 7018 5572
26 8892 4536
27 853 6064
28 8069 5893
29 2051 2885
0 10691 3153
1 3602 4055
2 328 1717
3 2219 9299
4 1939 7898
5 617 206
6 8544 1374
7 10676 3240
8 6672 9489
9 3170 7457
10 7868 5731
11 6121 10732
12 4843 9132
13 580 9591
14 6267 9290
15 3009 2268
16 195 2419
17 8016 1557
18 1516 9195
19 8062 9064
20 2095 8968
21 753 7326
22 6291 3833
23 2614 7844
24 2303 646

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

25 2075 611
26 4687 362
27 8684 9940
28 4830 2065
29 7038 1363
0 1769 7837
1 3801 1689
2 10070 2359
3 3667 9918
4 1914 6920
5 4244 5669
6 10245 7821
7 7648 3944
8 3310 5488
9 6346 9666
10 7088 6122
11 1291 7827
12 10592 8945
13 3609 7120
14 9168 9112
15 6203 8052
16 3330 2895
17 4264 10563
18 10556 6496
19 8807 7645
20 1999 4530
21 9202 6818
22 3403 1734
23 2106 9023
24 6881 3883
25 3895 2171
26 4062 6424
27 3755 9536
28 4683 2131
29 7347 8027

Table 2

Address of Parity Bit Accumulators (Rate 1/2)	
54 9318 14392 27561 26909 10219 2534 8597	
55 7263 4635 2530 28130 3033 23830 3651	
56 24731 23583 26036 17299 5750 792 9169	
57 5811 26154 18653 11551 15447 13685 16264	
58 12610 11347 28768 2792 3174 29371 12997	
59 16789 16018 21449 6165 21202 15850 3186	
60 31016 21449 17618 6213 12166 8334 18212	
61 22836 14213 11327 5896 718 11727 9308	
62 2091 24941 29966 23634 9013 15587 5444	

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

63 22207 3983 16904 28534 21415 27524 25912
64 25687 4501 22193 14665 14798 16158 5491
65 4520 17094 23397 4264 22370 16941 21526
66 10490 6182 32370 9597 30841 25954 2762
67 22120 22865 29870 15147 13668 14955 19235
68 6689 18408 18346 9918 25746 5443 20645
69 29982 12529 13858 4746 30370 10023 24828
70 1262 28032 29888 13063 24033 21951 7863
71 6594 29642 31451 14831 9509 9335 31552
72 1358 6454 16633 20354 24598 624 5265
73 19529 295 18011 3080 13364 8032 15323
74 11981 1510 7960 21462 9129 11370 25741
75 9276 29656 4543 30699 20646 21921 28050
76 15975 25634 5520 31119 13715 21949 19605
77 18688 4608 31755 30165 13103 10706 29224
78 21514 23117 12245 26035 31656 25631 30699
79 9674 24966 31285 29908 17042 24588 31857
80 21856 27777 29919 27000 14897 11409 7122
81 29773 23310 263 4877 28622 20545 22092
82 15605 5651 21864 3967 14419 22757 15896
83 30145 1759 10139 29223 26086 10556 5098
84 18815 16575 2936 24457 26738 6030 505
85 30326 22298 27562 20131 26390 6247 24791
86 928 29246 21246 12400 15311 32309 18608
87 20314 6025 26689 16302 2296 3244 19613
88 6237 11943 22851 15642 23857 15112 20947
89 26403 25168 19038 18384 8882 12719 7093
0 14587 24965
1 3908 100
2 10279 240
3 24102 764
4 12383 4173
5 13861 15918
6 21327 1046
7 5288 14579
8 28158 8069
9 16583 11098
10 16681 28363
11 13980 24725
12 32169 17989
13 10907 2767
14 21557 3818
15 26676 12422
16 7676 8754
17 14905 20232
18 15719 24646
19 31942 8589
20 19978 27197
21 27060 15071
22 6071 26649
23 10393 11176

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

24	9597	13370
25	7081	17677
26	1433	19513
27	26925	9014
28	19202	8900
29	18152	30647
30	20803	1737
31	11804	25221
32	31683	17783
33	29694	9345
34	12280	26611
35	6526	26122
36	26165	11241
37	7666	26962
38	16290	8480
39	11774	10120
40	30051	30426
41	1335	15424
42	6865	17742
43	31779	12489
44	32120	21001
45	14508	6996
46	979	25024
47	4554	21896
48	7989	21777
49	4972	20661
50	6612	2730
51	12742	4418
52	29194	595
53	19267	20113

Table 3

Address of Parity Bit Accumulators (Rate 3/4)

0	6385	7901	14611	13389	11200	3252	5243	2504	2722	821	7374
1	11359	2698	357	13824	12772	7244	6752	15310	852	2001	11417
2	7882	7977	6321	13612	12197	14449	15137	13860	1708	6399	13444
3	1560	11804	6975	13292	3646	3812	8772	7306	5795	14327	7866
4	7626	11407	14599	9689	1628	2113	10809	9283	1230	15241	4870
5	1610	5699	15876	9446	12515	1400	6303	5411	14181	13925	7358
6	4059	8836	3405	7853	7992	15336	5970	10368	10278	9675	4651
7	4441	3963	9153	2109	12683	7459	12030	12221	629	15212	406
8	6007	8411	5771	3497	543	14202	875	9186	6235	13908	3563
9	3232	6625	4795	546	9781	2071	7312	3399	7250	4932	12652
10	8820	10088	11090	7069	6585	13134	10158	7183	488	7455	9238
11	1903	10818	119	215	7558	11046	10615	11545	14784	7961	15619
12	3655	8736	4917	15874	5129	2134	15944	14768	7150	2692	1469
13	8316	3820	505	8923	6757	806	7957	4216	15589	13244	2622

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

14 14463 4852 15733 3041 11193 12860 13673 8152 6551 15108 8758
15 3149 11981
16 13416 6906
17 13098 13352
18 2009 14460
19 7207 4314
20 3312 3945
21 4418 6248
22 2669 13975
23 7571 9023
24 14172 2967
25 7271 7138
26 6135 13670
27 7490 14559
28 8657 2466
29 8599 12834
30 3470 3152
31 13917 4365
32 6024 13730
33 10973 14182
34 2464 13167
35 5281 15049
36 1103 1849
37 2058 1069
38 9654 6095
39 14311 7667
40 15617 8146
41 4588 11218
42 13660 6243
43 8578 7874
44 11741 2686
0 1022 1264
1 12604 9965
2 8217 2707
3 3156 11793
4 354 1514
5 6978 14058
6 7922 16079
7 15087 12138
8 5053 6470
9 12687 14932
10 15458 1763
11 8121 1721
12 12431 549
13 4129 7091
14 1426 8415
15 9783 7604
16 6295 11329
17 1409 12061
18 8065 9087
19 2918 8438

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

20 1293 14115
21 3922 13851
22 3851 4000
23 5865 1768
24 2655 14957
25 5565 6332
26 4303 12631
27 11653 12236
28 16025 7632
29 4655 14128
30 9584 13123
31 13987 9597
32 15409 12110
33 8754 15490
34 7416 15325
35 2909 15549
36 2995 8257
37 9406 4791
38 11111 4854
39 2812 8521
40 8476 14717
41 7820 15360
42 1179 7939
43 2357 8678
44 7703 6216
0 3477 7067
1 3931 13845
2 7675 12899
3 1754 8187
4 7785 1400
5 9213 5891
6 2494 7703
7 2576 7902
8 4821 15682
9 10426 11935
10 1810 904
11 11332 9264
12 11312 3570
13 14916 2650
14 7679 7842
15 6089 13084
16 3938 2751
17 8509 4648
18 12204 8917
19 5749 12443
20 12613 4431
21 1344 4014
22 8488 13850
23 1730 14896
24 14942 7126
25 14983 8863

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

26 6578 8564
27 4947 396
28 297 12805
29 13878 6692
30 11857 11186
31 14395 11493
32 16145 12251
33 13462 7428
34 14526 13119
35 2535 11243
36 6465 12690
37 6872 9334
38 15371 14023
39 8101 10187
40 11963 4848
41 15125 6119
42 8051 14465
43 11139 5167
44 2883 14521

Table 4

Address of Parity Bit Accumulators (Rate 4/5)

0 149 11212 5575 6360 12559 8108 8505 408 10026 12828
1 5237 490 10677 4998 3869 3734 3092 3509 7703 10305
2 8742 5553 2820 7085 12116 10485 564 7795 2972 2157
3 2699 4304 8350 712 2841 3250 4731 10105 517 7516
4 12067 1351 11992 12191 11267 5161 537 6166 4246 2363
5 6828 7107 2127 3724 5743 11040 10756 4073 1011 3422
6 11259 1216 9526 1466 10816 940 3744 2815 11506 11573
7 4549 11507 1118 1274 11751 5207 7854 12803 4047 6484
8 8430 4115 9440 413 4455 2262 7915 12402 8579 7052
9 3885 9126 5665 4505 2343 253 4707 3742 4166 1556
10 1704 8936 6775 8639 8179 7954 8234 7850 8883 8713
11 11716 4344 9087 11264 2274 8832 9147 11930 6054 5455
12 7323 3970 10329 2170 8262 3854 2087 12899 9497 11700
13 4418 1467 2490 5841 817 11453 533 11217 11962 5251
14 1541 4525 7976 3457 9536 7725 3788 2982 6307 5997
15 11484 2739 4023 12107 6516 551 2572 6628 8150 9852
16 6070 1761 4627 6534 7913 3730 11866 1813 12306 8249
17 12441 5489 8748 7837 7660 2102 11341 2936 6712 11977
18 10155 4210
19 1010 10483
20 8900 10250
21 10243 12278
22 7070 4397
23 12271 3887

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

24 11980 6836
25 9514 4356
26 7137 10281
27 11881 2526
28 1969 11477
29 3044 10921
30 2236 8724
31 9104 6340
32 7342 8582
33 11675 10405
34 6467 12775
35 3186 12198
0 9621 11445
1 7486 5611
2 4319 4879
3 2196 344
4 7527 6650
5 10693 2440
6 6755 2706
7 5144 5998
8 11043 8033
9 4846 4435
10 4157 9228
11 12270 6562
12 11954 7592
13 7420 2592
14 8810 9636
15 689 5430
16 920 1304
17 1253 11934
18 9559 6016
19 312 7589
20 4439 4197
21 4002 9555
22 12232 7779
23 1494 8782
24 10749 3969
25 4368 3479
26 6316 5342
27 2455 3493
28 12157 7405
29 6598 11495
30 11805 4455
31 9625 2090
32 4731 2321
33 3578 2608
34 8504 1849
35 4027 1151
0 5647 4935
1 4219 1870
2 10968 8054

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

3 6970 5447
4 3217 5638
5 8972 669
6 5618 12472
7 1457 1280
8 8868 3883
9 8866 1224
10 8371 5972
11 266 4405
12 3706 3244
13 6039 5844
14 7200 3283
15 1502 11282
16 12318 2202
17 4523 965
18 9587 7011
19 2552 2051
20 12045 10306
21 11070 5104
22 6627 6906
23 9889 2121
24 829 9701
25 2201 1819
26 6689 12925
27 2139 8757
28 12004 5948
29 8704 3191
30 8171 10933
31 6297 7116
32 616 7146
33 5142 9761
34 10377 8138
35 7616 5811
0 7285 9863
1 7764 10867
2 12343 9019
3 4414 8331
4 3464 642
5 6960 2039
6 786 3021
7 710 2086
8 7423 5601
9 8120 4885
10 12385 11990
11 9739 10034
12 424 10162
13 1347 7597
14 1450 112
15 7965 8478
16 8945 7397
17 6590 8316

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

18 6838 9011
19 6174 9410
20 255 113
21 6197 5835
22 12902 3844
23 4377 3505
24 5478 8672
25 4453 2132
26 9724 1380
27 12131 11526
28 12323 9511
29 8231 1752
30 497 9022
31 9288 3080
32 2481 7515
33 2696 268
34 4023 12341
35 7108 5553

Table 5

Address of Parity Bit Accumulators (Rate 3/5)

22422 10282 11626 19997 11161 2922 3122 99 5625 17064 8270 179
25087 16218 17015 828 20041 25656 4186 11629 22599 17305 22515 6463
11049 22853 25706 14388 5500 19245 8732 2177 13555 11346 17265 3069
16581 22225 12563 19717 23577 11555 25496 6853 25403 5218 15925 21766
16529 14487 7643 10715 17442 11119 5679 14155 24213 21000 1116 15620
5340 8636 16693 1434 5635 6516 9482 20189 1066 15013 25361 14243
18508 22236 20912 8952 5421 15691 6126 21595 500 6904 13059 6802
8433 4694 5524 14216 3685 19721 25420 9937 23813 9047 25651 16826
21500 24814 6344 17382 7064 13929 4004 16552 12818 8720 5286 2206
22517 2429 19065 2921 21611 1873 7507 5661 23006 23128 20543 19777
1770 4636 20900 14931 9247 12340 11008 12966 4471 2731 16445 791
6635 14556 18865 22421 22124 12697 9803 25485 7744 18254 11313 9004
19982 23963 18912 7206 12500 4382 20067 6177 21007 1195 23547 24837
756 11158 14646 20534 3647 17728 11676 11843 12937 4402 8261 22944
9306 24009 10012 11081 3746 24325 8060 19826 842 8836 2898 5019
7575 7455 25244 4736 14400 22981 5543 8006 24203 13053 1120 5128
3482 9270 13059 15825 7453 23747 3656 24585 16542 17507 22462 14670
15627 15290 4198 22748 5842 13395 23918 16985 14929 3726 25350 24157
24896 16365 16423 13461 16615 8107 24741 3604 25904 8716 9604 20365
3729 17245 18448 9862 20831 25326 20517 24618 13282 5099 14183 8804
16455 17646 15376 18194 25528 1777 6066 21855 14372 12517 4488 17490
1400 8135 23375 20879 8476 4084 12936 25536 22309 16582 6402 24360
25119 23586 128 4761 10443 22536 8607 9752 25446 15053 1856 4040
377 21160 13474 5451 17170 5938 10256 11972 24210 17833 22047 16108

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

13075 9648 24546 13150 23867 7309 19798 2988 16858 4825 23950 15125
20526 3553 11525 23366 2452 17626 19265 20172 18060 24593 13255 1552
18839 21132 20119 15214 14705 7096 10174 5663 18651 19700 12524 14033
4127 2971 17499 16287 22368 21463 7943 18880 5567 8047 23363 6797
10651 24471 14325 4081 7258 4949 7044 1078 797 22910 20474 4318
21374 13231 22985 5056 3821 23718 14178 9978 19030 23594 8895 25358
6199 22056 7749 13310 3999 23697 16445 22636 5225 22437 24153 9442
7978 12177 2893 20778 3175 8645 11863 24623 10311 25767 17057 3691
20473 11294 9914 22815 2574 8439 3699 5431 24840 21908 16088 18244
8208 5755 19059 8541 24924 6454 11234 10492 16406 10831 11436 9649
16264 11275 24953 2347 12667 19190 7257 7174 24819 2938 2522 11749
3627 5969 13862 1538 23176 6353 2855 17720 2472 7428 573 15036
0 18539 18661
1 10502 3002
2 9368 10761
3 12299 7828
4 15048 13362
5 18444 24640
6 20775 19175
7 18970 10971
8 5329 19982
9 11296 18655
10 15048 20659
11 7300 22140
12 22029 14477
13 11129 742
14 13254 13813
15 19234 13273
16 6079 21122
17 22782 5828
18 19775 4247
19 1660 19413
20 4403 3649
21 13371 25851
22 22770 21784
23 10757 14131
24 16071 21617
25 6393 3725
26 597 19968
27 5743 8084
28 6770 9548
29 4285 17542
30 13568 22599
31 1786 4617
32 23238 11648
33 19627 2030
34 13601 13458
35 13740 17328
36 25012 13944
37 22513 6687
38 4934 12587

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

39	21197	5133
40	22705	6938
41	7534	24633
42	24400	12797
43	21911	25712
44	12039	1140
45	24306	1021
46	14012	20747
47	11285	15219
48	4670	15531
49	9417	14359
50	2415	6504
51	24964	24690
52	14443	8816
53	6926	1291
54	6209	20806
55	13915	4079
56	24410	13196
57	13505	6117
58	9869	8220
59	1570	6044
60	25780	17387
61	20671	24913
62	24558	20591
63	12402	3702
64	8314	1357
65	20071	14616
66	17014	3688
67	19837	946
68	15195	12136
69	7758	22808
70	3564	2925
71	3434	7769

Table 6

Address of Parity Bit Accumulators (Rate 8/9)		
0	6235	2848 3222
1	5800	3492 5348
2	2757	927 90
3	6961	4516 4739
4	1172	3237 6264
5	1927	2425 3683
6	3714	6309 2495
7	3070	6342 7154
8	2428	613 3761
9	2906	264 5927

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

10 1716 1950 4273
11 4613 6179 3491
12 4865 3286 6005
13 1343 5923 3529
14 4589 4035 2132
15 1579 3920 6737
16 1644 1191 5998
17 1482 2381 4620
18 6791 6014 6596
19 2738 5918 3786
0 5156 6166
1 1504 4356
2 130 1904
3 6027 3187
4 6718 759
5 6240 2870
6 2343 1311
7 1039 5465
8 6617 2513
9 1588 5222
10 6561 535
11 4765 2054
12 5966 6892
13 1969 3869
14 3571 2420
15 4632 981
16 3215 4163
17 973 3117
18 3802 6198
19 3794 3948
0 3196 6126
1 573 1909
2 850 4034
3 5622 1601
4 6005 524
5 5251 5783
6 172 2032
7 1875 2475
8 497 1291
9 2566 3430
10 1249 740
11 2944 1948
12 6528 2899
13 2243 3616
14 867 3733
15 1374 4702
16 4698 2285
17 4760 3917
18 1859 4058
19 6141 3527
0 2148 5066

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

1 1306 145
2 2319 871
3 3463 1061
4 5554 6647
5 5837 339
6 5821 4932
7 6356 4756
8 3930 418
9 211 3094
10 1007 4928
11 3584 1235
12 6982 2869
13 1612 1013
14 953 4964
15 4555 4410
16 4925 4842
17 5778 600
18 6509 2417
19 1260 4903
0 3369 3031
1 3557 3224
2 3028 583
3 3258 440
4 6226 6655
5 4895 1094
6 1481 6847
7 4433 1932
8 2107 1649
9 2119 2065
10 4003 6388
11 6720 3622
12 3694 4521
13 1164 7050
14 1965 3613
15 4331 66
16 2970 1796
17 4652 3218
18 1762 4777
19 5736 1399
0 970 2572
1 2062 6599
2 4597 4870
3 1228 6913
4 4159 1037
5 2916 2362
6 395 1226
7 8911 4548
8 4618 2241
9 4120 4280
10 5825 474
11 2154 5558

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

12 3793 5471
13 5707 1595
14 1403 325
15 6601 5183
16 6369 4569
17 4846 896
18 7092 6184
19 6764 7127
0 6358 1951
1 3117 6960
2 2710 7062
3 1133 3604
4 3694 657
5 1355 110
6 3329 6736
7 2505 3407
8 2462 4806
9 4216 214
10 5348 5619
11 6627 6243
12 2644 5073
13 4212 5088
14 3463 3889
15 5306 478
16 4320 6121
17 3961 1125
18 5699 1195
19 6511 792
0 3934 2778
1 3238 6587
2 1111 6596
3 1457 6226
4 1446 3885
5 3907 4043
6 6839 2873
7 1733 5615
8 5202 4269
9 3024 4722
10 5445 6372
11 370 1828
12 4695 1600
13 680 2074
14 1801 6690
15 2669 1377
16 2463 1681
17 5972 5171
18 5728 4284
19 1696 1459

Table 7

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016**Address of Parity Bit Accumulators (Rate 9/10)**

0	5611	2563	2900
1	5220	3143	4813
2	2481	834	81
3	6265	4064	4265
4	1055	2914	5638
5	1734	2182	3315
6	3342	5678	2246
7	2185	552	3385
8	2615	236	5334
9	1546	1755	3846
10	4154	5561	3142
11	4382	2957	5400
12	1209	5329	3179
13	1421	3528	6063
14	1480	1072	5398
15	3843	1777	4369
16	1334	2145	4163
17	2368	5055	260
0	6118	5405	
1	2994	4370	
2	3405	1669	
3	4640	5550	
4	1354	3921	
5	117	1713	
6	5425	2866	
7	6047	683	
8	5616	2582	
9	2108	1179	
10	933	4921	
11	5953	2261	
12	1430	4699	
13	5905	480	
14	4289	1846	
15	5374	6208	
16	1775	3476	
17	3216	2178	
0	4165	884	
1	2896	3744	
2	874	2801	
3	3423	5579	
4	3404	3552	
5	2876	5515	
6	516	1719	
7	785	3631	
8	5059	1441	
9	5629	598	

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

10 5405 473
11 4724 5210
12 155 1832
13 1689 2229
14 449 1164
15 2308 3088
16 1122 669
17 2268 5758
0 5878 2609
1 782 3359
2 1231 4231
3 4225 2052
4 4286 3517
5 5531 3184
6 1935 4560
7 1174 131
8 3115 956
9 3129 1088
10 5238 4440
11 5722 4280
12 3540 375
13 191 2782
14 906 4432
15 3225 1111
16 6296 2583
17 1457 903
0 855 4475
1 4097 3970
2 4433 4361
3 5198 541
4 1146 4426
5 3202 2902
6 2724 525
7 1083 4124
8 2326 6003
9 5605 5990
10 4376 1579
11 4407 984
12 1332 6163
13 5359 3975
14 1907 1854
15 3601 5748
16 6056 3266
17 3322 4085
0 1768 3244
1 2149 144
2 1589 4291
3 5154 1252
4 1855 5939
5 4820 2706
6 1475 3360

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

7 4266 693
8 4156 2018
9 2103 752
10 3710 3853
11 5123 931
12 6146 3323
13 1939 5002
14 5140 1437
15 1263 293
16 5949 4665
17 4548 6380
0 3171 4690
1 5204 2114
2 6384 5565
3 5722 1757
4 2805 6264
5 1202 2616
6 1018 3244
7 4018 5289
8 2257 3067
9 2483 3073
10 1196 5329
11 649 3918
12 3791 4581
13 5028 3803
14 3119 3506
15 4779 431
16 3888 5510
17 4387 4084
0 5836 1692
1 5126 1078
2 5721 6165
3 3540 2499
4 2225 6348
5 1044 1484
6 6323 4042
7 1313 5603
8 1303 3496
9 3516 3639
10 5161 2293
11 4682 3845
12 3045 643
13 2818 2616
14 3267 649
15 6236 593
16 646 2948
17 4213 1442
0 5779 1596
1 2403 1237
2 2217 1514
3 5609 716

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

4	5155	3858
5	1517	1312
6	2554	3158
7	5280	2643
8	4990	1353
9	5648	1170
10	1152	4366
11	3561	5368
12	3581	1411
13	5647	4661
14	1542	5401
15	5078	2687
16	316	1755
17	3392	1991

Table 8

12. (Original) A method according to claim 11, wherein the row indices of 1's in other column indices m ($m \bmod 360 \neq 0$ and $m < k_{ldpc}$) of the parity check matrix are given by $\{x + m \bmod 360 \times q\} \bmod (n_{ldpc} - k_{ldpc})$, where $q=60$ for rate 2/3 LDPC code, $q=30$ for rate 5/6 LDPC code, $q=90$ for rate 1/2 LDPC code, $q=45$ for rate 3/4 LDPC code, $q=36$ for rate 4/5 LDPC code, $q=72$ for rate 3/5 LDPC code, $q=20$ for rate 8/9 LDPC code, $q=18$ for rate 9/10 LDPC code, wherein x denotes an entry at the j^{th} row of Tables 1-7, where $j = \text{int}\{m/360\}$, and $\text{int}\{.\}$ denotes the integer function, the row indices of 1's in the column index $m = k_{ldpc} + j$ ($j=0, 1, 2, \dots, n_{ldpc} - k_{ldpc} - 2$) of the parity check matrix being given by j and $j+1$, the row index of 1 in the column index $n_{ldpc} - 1$ of the parity check matrix being given by $n_{ldpc} - k_{ldpc} - 1$.

13. (Canceled)

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

14. (Currently Amended) An encoder for generating Low Density Parity Check (LDPC) codes, comprising:

memory storing information representing a structured parity check matrix of the LDPC codes, the information being organized in tabular form, wherein each row represents occurrences of one values within a first column of a group of columns of the parity check matrix, the rows correspond to groups of columns of the parity check matrix, wherein subsequent columns within each of the groups are derived according to a predetermined operation; and

means for retrieving the stored information representing the parity check matrix to output an LDPC coded signal,

wherein parity bit accumulators are initialized to zero, the first information bit in the i^{th} group of M information bits is accumulated in the i^{th} parity bit accumulator if the i^{th} entry in $(M)^{\text{th}}$ column of the parity check matrix is 1, where $i=0,1,2,3,\dots,k_{\text{ldpc}}/M-1$, the remaining $(M-1)$ information bits $m=M+1, M+2, M+3,\dots, (i+1)M-1$ of the i^{th} group being accumulated in the parity bit accumulators according to $\{x + m \bmod M \times q\} \bmod (n_{\text{ldpc}} - k_{\text{ldpc}})$, wherein x denotes the address of the parity bit accumulator corresponding to the first bit, M , in the group, and q is a code rate dependent constant, after all of the information bits are exhausted, operations, starting with $i = 1$ are performed according to

$$p_i = p_i \oplus p_{i-1}, \quad i = 1, 2, \dots, n_{\text{ldpc}} - k_{\text{ldpc}} - 1, \text{ wherein final content of } p_i,$$

$i = 0, 1, \dots, n_{\text{ldpc}} - k_{\text{ldpc}} - 1$ is equal to the parity bit p_i .

15. (Original) An encoder according to claim 14, wherein the predetermined operation specifies one of a cyclic shift on the first column of each of the group, and addition of a constant to the first column of each of the group, the constant being dependent on code rate of the LDPC code.

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

16. (Original) An encoder according to claim 14, wherein an j^{th} parity bit is determined by adding the $(j-1)^{\text{th}}$ parity bit and the j^{th} information bit if the j^{th} entry in the j^{th} row of the parity check matrix is 1.

17. (Canceled)

18. (Currently Amended) An encoder according to claim ~~17~~ 14, wherein $M=360$.

19. (Original) An encoder according to claim 14, wherein the code dependent constant q is 60, 30, 90, 45, 36, 72, 20, and 18 for code rates $2/3$, $5/6$, $1/2$, $3/4$, $4/5$, $3/5$, $8/9$, and $9/10$, respectively.

20. (Original) An encoder according to claim 11, wherein the LDPC coded signal is modulated according to a signal constellation that includes one of 8-PSK (Phase Shift Keying), 16-QAM (Quadrature Amplitude Modulation), QPSK (Quadrature Phase Shift Keying), 16-APSK (Amplitude Phase Shift Keying) and 32-APSK.

21. (Original) An encoder according to claim 14, further comprising:
a Bose Chaudhuri Hocquenghem (BCH) encoder configured to encode an input signal using BCH codes, wherein the output LDPC coded signal corresponding to the input signal represents a code having an outer BCH code and an inner LDPC code.

22. (Original) An encoder according to claim 21, wherein the number of redundant BCH bits is $n_{\text{BCH}} - k_{\text{BCH}} = 16 \cdot t$, wherein t represents error correcting capability of the BCH code.

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

23. (Original) An encoder according to claim 21, wherein the error correction capability of the BCH code is 12 bits when used in concatenation with rate 1/2, 3/4, 4/5 and 3/5 LDPC codes, is 10 bits when used in concatenation with rate 2/3 and 5/6 LDPC codes, and is 8 bits when used in concatenation with rate 8/9 and 9/10 LDPC codes.

24. (Currently Amended) A transmitter utilizing Low Density Parity Check (LDPC) coding, comprising:

memory storing information representing a structured parity check matrix of the LDPC codes, the information being organized in tabular form, wherein each row represents occurrences of one values within a first column of a group of columns of the parity check matrix, the rows correspond to groups of columns of the parity check matrix, wherein subsequent columns within each of the groups are derived according to a predetermined operation; and
an LDPC encoder configured to access the stored information from the memory to output an LDPC coded signal,

wherein parity bit accumulators are initialized to zero, the first information bit in the j^{th} group of M information bits is accumulated in the j^{th} parity bit accumulator if the j^{th} entry in $(M)^{\text{th}}$ column of the parity check matrix is 1, where $i=0,1,2,3,\dots,k_{\text{ldpc}}/M-1$, the remaining $(M-1)$ information bits $m=M+1, M+2, M+3,\dots, (j+1)M-1$ of the j^{th} group being accumulated in the parity bit accumulators according to $\{x + m \bmod M \times q\} \bmod (n_{\text{ldpc}} - k_{\text{ldpc}})$, wherein x denotes the address of the parity bit accumulator corresponding to the first bit, M , in the group, and q is a code rate dependent constant, after all of the information bits are exhausted, operations, starting with $i = 1$ are performed according to

$$p_i = p_i \oplus p_{i-1}, \quad i = 1, 2, \dots, n_{\text{ldpc}} - k_{\text{ldpc}} - 1, \text{ wherein final content of } p_i,$$

$i = 0, 1, \dots, n_{\text{ldpc}} - k_{\text{ldpc}} - 1$ is equal to the parity bit p_i .

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

25. (Original) A transmitter according to claim 24, wherein the predetermined operation specifies one of a cyclic shift on the first column of each of the group, and addition of a constant to the first column of each of the group, the constant being dependent on code rate of the LDPC code.

26. (Original) A transmitter according to claim 24, wherein an i^{th} parity bit is determined by adding the $(i-1)^{\text{th}}$ parity bit and the j^{th} information bit if the j^{th} entry in the i^{th} row of the parity check matrix is 1.

27. (Canceled)

28. (Currently Amended) A transmitter according to claim ~~27~~ 24, wherein $M=360$.

29. (Original) A transmitter according to claim 24, wherein the code dependent constant q is 60, 30, 90, 45, 36, 72, 20, and 18 for code rates $2/3$, $5/6$, $1/2$, $3/4$, $4/5$, $3/5$, $8/9$, and $9/10$, respectively.

30. (Original) A transmitter according to claim 24, wherein the LDPC coded signal is modulated according to a signal constellation that includes one of 8-PSK (Phase Shift Keying), 16-QAM (Quadrature Amplitude Modulation), QPSK (Quadrature Phase Shift Keying), 16-APSK (Amplitude Phase Shift Keying) and 32-APSK.

31. (Original) A transmitter according to claim 24, further comprising:
a Bose Chaudhuri Hocquenghem (BCH) transmitter configured to encode an input signal using BCH codes, wherein the output LDPC coded signal corresponding to the input signal represents a code having an outer BCH code and an inner LDPC code.

Serial No. 10/613,823

Patent
Attorney Docket No.: PD-203016

32. (Original) A transmitter according to claim 31, wherein the number of redundant BCH bits is $n_{\text{BCH}} - k_{\text{BCH}} = 16 \cdot t$, wherein t represents error correcting capability of the BCH code.

33. (Original) A transmitter according to claim 31, wherein the error correction capability of the BCH code is 12 bits when used in concatenation with rate 1/2, 3/4, 4/5 and 3/5 LDPC codes, is 10 bits when used in concatenation with rate 2/3 and 5/6 LDPC codes, and is 8 bits when used in concatenation with rate 8/9 and 9/10 LDPC codes.